

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S42	24	Hdcp near10 authenticat\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 13:42
S43	79	S30 and (authentication adj1 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 13:59
S44	29	S43 and (authenticat\$5 near5 request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 15:47
S45	0	S44 and (digital near5 radio)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 14:03
S46	5	S15 and (dvi adj1 interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 14:46
S47	107	dvi adj1 interface	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 15:47
S48	29	S47 and " tmds "	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 16:13
S49	0	S47 and (master adj1 block)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 16:48
S50	2	"5481610".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 16:48

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	214346	"printed circuit board"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 12:49
L2	76	l1 and (stor\$5 near6 (encrypted near5 key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 11:54
L3	10	l1 and (stor\$5 near6 (encrypted adj1 key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 12:07
L4	5704	((authentication and encryption) near5 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 12:08
L6	201	l4 and (stor\$5 near5 (encrypted adj1 key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 12:19
L7	14	l6 and (retriev\$6 near5 (encrypted adj1 key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 12:14
L8	93	l6 and (decrypt\$6 near5 (encrypted adj1 key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 12:17
L9	81	l8 not l7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 12:17
L10	4	l9 and (destro\$5 near5 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 12:17

L11	161	l6 and (secur\$5 near5 stor\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 12:19
L12	14	l11 and ((one-time or disposable or "one time") near5 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 12:20
L13	4	l8 and ((one-time or disposable or "one time") near5 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 12:41
L14	4	l13 not l10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 12:39
L15	14946	l1 and (display near3 (device or unit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 12:41
L16	6	l15 and (stor\$5 near5 "encrypted key")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 12:40
L17	618	(stor\$5 near5 "encrypted key")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 12:40
L18	30	l17 and ((one-time or disposable or "one time") near5 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 13:42
L19	70	l15 and ((authentication and encryption) near5 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 12:42
L20	59	l19 and (encryption near5 (algorithm or protocol))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 12:47

L21	16	l20 and "encrypted key"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 12:47
L22	3	("printed circuit board" same (stor\$5 near5 "encryption key"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 12:51
L23	101	("printed circuit board" and (stor\$5 near5 "encryption key"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 12:52
L24	0	l23 and " tmds "	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 12:53
L25	64	l23 and (decrypt\$5 near3 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 12:53
L26	30	l25 and (((destroy\$5 or eras\$5) near5 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 12:54
L27	30	l25 and (((destroy\$5 or eras\$5 or terminat\$5) near5 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 13:03
L28	0	l18 and l27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 13:03
L29	24	Hdcp near10 authenticat\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 13:42
S1	214346	"printed circuit board"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 18:29

S2	514	S1 and (encrypt\$5 near4 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 18:29
S3	77	S2 and (encrypted near5 "encryption key")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 18:30
S4	38	S3 and (display near5 (unit or device))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 18:31
S5	17	S4 and (((encryption or decryption) adj1 key) and (authenticat\$5 adj1 key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 18:37
S6	11	S5 and (encrypted adj1 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 18:39
S7	0	S5 and " hdcp "	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 18:46
S8	18	S1 and " hdcp "	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 18:56
S9	2	"6468160".PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 18:59
S10	2	"5237610".PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 19:17
S11	2	"6014745".PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 19:18

S12	5	"6061451".PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 19:20
S13	2	"6085323".PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 19:20
S14	2	"6584552".PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 19:20